Summary



Rain Adaptive Jacket - Cunningham FRAN

Name	Rain Adaptive Jacket - Cunningham FRAN
Style No.	2330
Description	A slick and large raincoat featuring a waterproof laminate outer core and a 100% cotton interior, advanced closures with MORITO products and collapsible into a carrying bag
Division	AM 475 - FA2022
Category	Men's
Season	FA2022
Year	2022-2023
Size Scale	L *-Sample size* S M L XL 2XL 3XL 4XL
Factory	CSU Factory
COO	China
Main Fabric	81% Cotton / 19% Polyurethane
New/Carryover	New Style
Style Status	In Development
Sample Development Status	2nd Sample
MSRP	168
Target Cost	24.58
Target Margin (%)	48
MOQ	3000
Leadtime	180
AM 375 - Developer Name	Lauren Cunningham
AM 475 - Developer Name	Lauren Cunningham
Created by/Author	12/11/2022 Lauren Cunningham Lauren.Cunningham@rams.colostate.edu



rain0 (1)-1



rain1 (1)-1



rain3 (1)-1



rain2 (2)-1

© Colorado State University



rain blue-1

1. Cool Blue
Custom Code: 14-4317 TCX

© Colorado State University



rain tan-1

2. Tan
Custom Code: 16-1334 TPG

© Colorado State University




rain0 (1)-1 (Copy)

Components (7)

- B1 Lawn Horizontal Stripe Lining
- B2 STOF France Laminate
- B3 Woven Care Label - Cunningham
- B4 ANKHGEAR MagZip Inclusive One-Handed - Cunningham
- B5 Block Tapey Type 3 - Cunningham
- B6 Coats & Clark All Purpose Cotton Thread - Cunningham
- B7 Drawstring - Cunningham

© Colorado State University




fuidhgiuahgla-1

Construction Details (5)

- C1 406 Coverstitch
- C2 406 Coverstitch
- C3 301 topstitch
- C4 301 topstitch
- C5 Welt Pocket

© Colorado State University



fuidhgiuahgla-1 (Copy)

Points of measure (15)

- D1 Chest Width Circumference (woven)
- D2 Center Back Length
- D3 Front Length (garments with a front opening)
- D4 Sleeve Length Top Neck
- D5 Neck Width, Collar
- D6 Neck Drop Front
- D7 Neck Drop Back
- D8 Collar Length
- D9 Collar Height
- D10 Hem Height
- D11 Front Zipper Length
- D12 Hand Pkt Placement from CF
- D13 Back Hood Length
- D14 Front Length Hood
- D15 Hood Opening Width

© Colorado State University



Asset 1-1



Asset 16-1



v987-rm355-03-mockup-1

© Colorado State University



fabric-1



klawn stripe-1

© Colorado State University



poncho frotn pt 2-1

© Colorado State University



poncho side-1

© Colorado State University



poncho front-1

© Colorado State University



DSC_0922-1

© Colorado State University




poncho back-1

© Colorado State University

	THUMBNAIL	COMPONENT	QTY	PLACEMENT	STATUS	COO	1. COOL BLUE CODE: 14-4317 TCX	2. TAN CODE: 16-1334 TPG
1		**STOF France Laminate** CODE: X84Mr Notes: Exterior and Pocket Supplier: To Be Determined Content (Fiber Content): 81% Cotton / 19% Polyurethane Fabric Width: 60" Weight (GSM): 120 Finishes: Waterproof Laminate Dye Method: N/A AM 475 - Developer's Name: Lauren Cunningham	3 /yd	Exterior and Pocket	Approved	Turkey	- Cool Blue Custom Code: 14-4317 TCX Price: $5.60	- Tan Custom Code: 16-1334 TPG Price: $5.60
2		**Lawn Horizontal Stripe Lining** CODE: MKfPp Notes: Lining Supplier: Factory Supplied Content (Fiber Content): 100% Cotton Fabric Width: 57" Weight (GSM): 94 Dye Method: Piece Dyed AM 475 - Developer's Name: Lauren Cunningham	0.25 /yd	Hood lining and pocket bag	Approved	China	- Cool Blue Custom Code: 14-4317 TCX Price: $2.09	- Tan Custom Code: 16-1334 TPG Price: $2.09
		TRIMS						
3		**Coats & Clark All Purpose Cotton Thread - Cunningham** CODE: 073650778704 Notes: Throughout Supplier: Factory Supplied Content (Fiber Content): 100% Cotton Weight (GSM): 30 Dye Method: N/A Size: 250 yrds AM 475 - Developer's Name: Lauren Cunningham	4 /yd	Throughout	Approved	China	- DTM Price: $0.02	- DTM Price: $0.02
4		**ANKHGEAR MagZip Inclusive One-Handed - Cunningham** CODE: 42tfw1 Notes: CF Zipper Supplier: Factory Supplied Content (Fiber Content): Brass/Nylon Finishes: Magnetic Dye Method: Piece Dyed Size: 30 in. #5 AM 375 - Team Name - Fall 2021 Components: Team 4 - CLEM	1 /Pieces	CF Zipper	In Development	China	- DTM - Cunningham Price: $0.75	- DTM - Cunningham Price: $0.75

© Colorado State University

	THUMBNAIL	COMPONENT	QTY	PLACEMENT	STATUS	COO	1. COOL BLUE CODE: 14-4317 TCX	2. TAN CODE: 16-1334 TPG
5		**Block Tapev Type 3 - Cunningham** CODE: 10BLK-IR21 P.50 Notes: CF Placement and Pocket Supplier: Factory Supplied Content (Fiber Content): POM/Polyester Finishes: OEKO-TEX certified Dye Method: N/A Size: 10 mm/piece AM 475 - Developer's Name: Lauren Cunningham	0.4 /m	CF placement, pocket, Sleeve closure	Approved		- Black Bean Custom Code: 19-3909 TCX Price: $15.00	- Black Bean Custom Code: 19-3909 TCX Price: $15.00
6		**Drawstring - Cunningham** CODE: YX-LC066 (copy) Notes: CF Supplier: To Be Determined Content (Fiber Content): 100% Cotton Finishes: Sustainable, High Tenacity, Waterproof Dye Method: Piece Dyed Size: 4mm Diameter 30 in Length AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces	CF	In Development	China	- DTM Price: $0.08	- DTM Price: $0.08
		LABELS & PACKAGING						
7		**Hangtag 100% Recycled Material - Cunningham** CODE: Yotxd Notes: CF pocket Supplier: To Be Determined Content (Fiber Content): Recycled Paper Finishes: Recycled Dye Method: N/A Size: 1.5" x 2.5" AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces	CB Inside	Approved	China	- Black Bean Custom Code: 19-3909 TCX Price: $0.04	- Black Bean Custom Code: 19-3909 TCX Price: $0.04
8		**Woven Care Label - Cunningham** CODE: 31323 Notes: CF back Supplier: To Be Determined Content (Fiber Content): 100% Cotton Finishes: N/A Dye Method: N/A Size: 1 x 2 AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces	CB Inside	In Development	China	- White - Cunningham Custom Code: 11-0601 TPG Price: $0.09	- White - Cunningham Custom Code: 11-0601 TPG Price: $0.09


© Colorado State University

	THUMBNAIL	COMPONENT	QTY	PLACEMENT	STATUS	COO	1. COOL BLUE CODE: 14-4317 TCX	2. TAN CODE: 16-1334 TPG
9		**Packaging Box - Cunningham** CODE: xapUW Notes: Folded Nicely on CF Supplier: To Be Determined Content (Fiber Content): 100% Recycled cardboard Finishes: Matte Dye Method: Piece Dyed Size: 12 x 9 in AM 475 - Developer's Name: Lauren Cunningham	1 /Pieces	Folded and placed in box	Approved	China	- Black Bean Custom Code: 19-3909 TCX Price: $0.15	- Black Bean Custom Code: 19-3909 TCX Price: $0.15
		Components **9**					Total **$24.51**	Total **$24.51**

© Colorado State University



Chest Width Circumference (Woven)




3.

Center Back Length




Front Length (Garments With A Front Opening)



37.

Sleeve Length Top Neck



63.


Neck Width, Collar




60.

Neck Drop Front

© Colorado State University




Neck Drop Back




72.

Collar Height




137.

Front Length Hood




138.

Back Hood Length



139.

Hood Width



Hood Opening Width

© Colorado State University

Sample Size: L

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	S	M	L	XL	2XL	3XL	4XL
Chest Width Circumference (woven)	10	Measure from edge of garment/side seam to edge of garment/side seam straight across garment at a point 1" below armhole. Reporting half of the circumference measurement.	true	Half	1/2 in	-2 in	-2 in	48 in	2 in	2 in	2 in	2 in
Center Back Length	3	Measure from center back neck joining seam straight down to bottom of garment at center back. If needed, gently lift the collar away from back neck to expose joining seam.	false	Full	1/4 in	-1/2 in	-1/2 in	28 in	1/2 in	1/2 in	1/2 in	1/2 in
Front Length (garments with a front opening)	1	Measure from the HPS at neck straight down, parallel to CF, to bottom of garment at front. If garment has a collar, gently lift it away from shoulder-neck measuring point.	true	Full	1/4 in	-1/2 in	-1/2 in	32 in	1/2 in	1/2 in	1/2 in	1/2 in
Sleeve Length Top Neck	37	Measure along top of sleeve/fold, following contour of sleeve from sleeve-neck joining seam/edge to edge of sleeve opening, including cuff. Gently lift collar at sleeve-neck joining seam if needed.	true	Full	0 in	-1 in	-1 in	20 1/2 in	1 in	1 in	1 in	1 in
Neck Width, Collar	63	Measure straight across back neck from neck-shoulder joining seam to neck-shoulder hoining seam or natural shoulder line if no seam. This measurement is taken with back of garment faceup.	true	Full	1/8 in	-1/2 in	-1/2 in	15 in	1/2 in	1/2 in	1/2 in	1/2 in
Neck Drop Front	60	Measure from imaginary line connecting shoulder to shoulder straight down to start of CF neckline	true	Full	1/8 in	-1/8 in	0 in	3 in	0 in	1/8 in	0 in	1/8 in
Neck Drop Back	61	Connect imaginary line from HPS to HPS to CF back neck seam	true	Full	1/8 in	0 in	0 in	2 in	0 in	0 in	0 in	1/8 in
Collar Length	00014	from collar edge to collar edge	true	Full	1/2 in	-1 in	-1 in	31 in	1 in	1 in	1 in	1 in
Collar Height	72	Measure from collar/rib joining seam at center back neck straight up to outer edge.	true	Full	0 in	-1/8 in	0 in	2 1/2 in	0 in	0 in	0 in	1/8 in
Hem Height	HEM1	From finished edge to topstitching	false	Full	1/8 in	0 in	0 in	1/2 in	0 in	0 in	0 in	0 in
Front Zipper Length	CRJ-F	Measure from end of zipper straight down to zipper end along center of the zipper.	true	Full	1/8 in	0 in	0 in	23 in	0 in	1 in	0 in	1 in
Hand Pkt Placement from CF	ZWInlP	Hand Pkt Placement from CF	true	Full	1/8 in	0 in	0 in	3 in	0 in	0 in	0 in	0 in
Front Length Hood	137	From top of hood to bottom of hood at center from joining seam along opening edge of hood.	true	Full	1/2 in	-1/8 in	0 in	14 1/2 in	0 in	0 in	1/2 in	1/8 in
Back Hood Length	138	From top of hood at center front to bottom of hood at center back joining seam along outside curve of hood fold/seam.	true	Full	1/2 in	-1/8 in	0 in	25 in	0 in	0 in	1/2 in	1/8 in
Hood Width	139	Measure from front opening edge of hood straight across to back of hood at fold along widest point of hood.	true	Full	1/2 in	-1 in	-1 in	14 1/2 in	1 in	1 in	1 in	1 in
Hood Opening Width	AV1	Lay garment on its back side, Expand hood in all directions without stretching, measure from widest points of hood opening	true	Full	1/4 in	-1/2 in	0 in	5 in	0 in	0 in	1/2 in	1/2 in

© Colorado State University

Sample Size: L

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE	S	M	L	XL	2XL	3XL	4XL
Chest Width Circumference (woven)	10	Measure from edge of garment/side seam to edge of garment/side seam straight across garment at a point 1" below armhole. Reporting half of the circumference measurement.	true	Half	1/2 in	44 in	46 in	48 in	50 in	52 in	54 in	56 in
Center Back Length	3	Measure from center back neck joining seam straight down to bottom of garment at center back. If needed, gently lift the collar away from back neck to expose joining seam.	false	Full	1/4 in	27 in	27 1/2 in	28 in	28 1/2 in	29 in	29 1/2 in	30 in
Front Length (garments with a front opening)	1	Measure from the HPS at neck straight down, parallel to CF, to bottom of garment at front. If garment has a collar, gently lift it away from shoulder-neck measuring point.	true	Full	1/4 in	31 in	31 1/2 in	32 in	32 1/2 in	33 in	33 1/2 in	34 in
Sleeve Length Top Neck	37	Measure along top of sleeve/fold, following contour of sleeve from sleeve-neck joining seam/edge to edge of sleeve opening, including cuff. Gently lift collar at sleeve-neck joining seam if needed.	true	Full	0 in	18 1/2 in	19 1/2 in	20 1/2 in	21 1/2 in	22 1/2 in	23 1/2 in	24 1/2 in
Neck Width, Collar	63	Measure straight across back neck from neck-shoulder joining seam to neck-shoulder hoining seam or natural shoulder line if no seam. This measurement is taken with back of garment faceup.	true	Full	1/8 in	14 in	14 1/2 in	15 in	15 1/2 in	16 in	16 1/2 in	17 in
Neck Drop Front	60	Measure from imaginary line connecting shoulder to shoulder straight down to start of CF neckline	true	Full	1/8 in	2 7/8 in	3 in	3 in	3 in	3 1/8 in	3 1/8 in	3 1/4 in
Neck Drop Back	61	Connect imaginary line from HPS to HPS to CF back neck seam	true	Full	1/8 in	2 in	2 in	2 in	2 in	2 in	2 in	2 1/8 in
Collar Length	00014	from collar edge to collar edge	true	Full	1/2 in	29 in	30 in	31 in	32 in	33 in	34 in	35 in
Collar Height	72	Measure from collar/rib joining seam at center back neck straight up to outer edge.	true	Full	0 in	2 3/8 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 1/2 in	2 5/8 in
Hem Height	HEM1	From finished edge to topstitching	false	Full	1/8 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in	1/2 in
Front Zipper Length	CRJ-F	Measure from end of zipper straight down to zipper end along center of the zipper.	true	Full	1/8 in	23 in	23 in	23 in	23 in	24 in	24 in	25 in
Hand Pkt Placement from CF	ZWInlP	Hand Pkt Placement from CF	true	Full	1/8 in	3 in	3 in	3 in	3 in	3 in	3 in	3 in
Front Length Hood	137	From top of hood to bottom of hood at center from joining seam along opening edge of hood.	true	Full	1/2 in	14 3/8 in	14 1/2 in	14 1/2 in	14 1/2 in	14 1/2 in	15 in	15 1/8 in
Back Hood Length	138	From top of hood at center front to bottom of hood at center back joining seam along outside curve of hood fold/seam.	true	Full	1/2 in	24 7/8 in	25 in	25 in	25 in	25 in	25 1/2 in	25 5/8 in

© Colorado State University

Hood Width	139	Measure from front opening edge of hood straight across to back of hood at fold along widest point of hood.	true	Full	1/2 in	12 1/2 in	13 1/2 in	14 1/2 in	15 1/2 in	16 1/2 in	17 1/2 in	18 1/2 in
Hood Opening Width	AV1	Lay garment on its back side, Expand hood in all directions without stretching, measure from widest points of hood opening	true	Full	1/4 in	4 1/2 in	5 in	5 in	5 in	5 in	5 1/2 in	6 in

© Colorado State University

Sample Size: L

POINT OF MEASURE	CODE	HOW TO MEASURE	CRITICAL	TYPE	TOLERANCE
Chest Width Circumference (woven)	10	Measure from edge of garment/side seam to edge of garment/side seam straight across garment at a point 1" below armhole. Reporting half of the circumference measurement.	true	Half	1/2 in
Center Back Length	3	Measure from center back neck joining seam straight down to bottom of garment at center back. If needed, gently lift the collar away from back neck to expose joining seam.	false	Full	1/4 in
Front Length (garments with a front opening)	1	Measure from the HPS at neck straight down, parallel to CF, to bottom of garment at front. If garment has a collar, gently lift it away from shoulder-neck measuring point.	true	Full	1/4 in
Sleeve Length Top Neck	37	Measure along top of sleeve/fold, following contour of sleeve from sleeve-neck joining seam/edge to edge of sleeve opening, including cuff. Gently lift collar at sleeve-neck joining seam if needed.	true	Full	0 in
Neck Width, Collar	63	Measure straight across back neck from neck-shoulder joining seam to neck-shoulder hoining seam or natural shoulder line if no seam. This measurement is taken with back of garment faceup.	true	Full	1/8 in
Neck Drop Front	60	Measure from imaginary line connecting shoulder to shoulder straight down to start of CF neckline	true	Full	1/8 in
Neck Drop Back	61	Connect imaginary line from HPS to HPS to CF back neck seam	true	Full	1/8 in
Collar Length	00014	from collar edge to collar edge	true	Full	1/2 in
Collar Height	72	Measure from collar/rib joining seam at center back neck straight up to outer edge.	true	Full	0 in
Hem Height	HEM1	From finished edge to topstitching	false	Full	1/8 in
Front Zipper Length	CRJ-F	Measure from end of zipper straight down to zipper end along center of the zipper.	true	Full	1/8 in
Hand Pkt Placement from CF	ZWInlP	Hand Pkt Placement from CF	true	Full	1/8 in
Front Length Hood	137	From top of hood to bottom of hood at center from joining seam along opening edge of hood.	true	Full	1/2 in
Back Hood Length	138	From top of hood at center front to bottom of hood at center back joining seam along outside curve of hood fold/seam.	true	Full	1/2 in
Hood Width	139	Measure from front opening edge of hood straight across to back of hood at fold along widest point of hood.	true	Full	1/2 in
Hood Opening Width	AV1	Lay garment on its back side, Expand hood in all directions without stretching, measure from widest points of hood opening	true	Full	1/4 in

© Colorado State University